

# Data Structures and Algorithms 31251

## Assessment Task 3 – Take Home Examination

### Autumn 2021 (Alternative Exam)

#### **Instructions**

This examination is made available online at **9:30 AM** on **15 July 2021**.

Your completed answer file is due 24 hours after when this examination is made available online, and must be submitted online via <https://canvas.uts.edu.au/courses/16670/assignments/72959> on Canvas.

There are **15 multiple-choice questions and 6 short-answer questions**. Your answer to each question attempted should commence after the question number in the answer file.

The examination is worth **30%** of the marks available in this subject. The contribution each question makes to the total examination mark is indicated in marks.

This examination is an open book examination.

This examination is expected to take approximately **1.5 hours** of working time. You are advised to allocate your time accordingly. Your answer file may be submitted at any time before the due time. Please allow time to complete the submission process.

Please submit your file in PDF/Word format unless directed otherwise. Please name your file as follows:

EXAM\_31251\_student number e.g. EXAM\_31251\_12345678

You can make at most three submissions. Only your latest submission will be considered for marking.

#### **Word Limit**

There is a word limit for each question. The most important thing is to answer the question in a succinct manner. This means that your answer can consist of a word count less than the imposed word limit. A ten percent (10%) leeway on word counts is permitted.

Your answers should not contain any footnote/reference.

#### **Important Notice – Exam Conditions and Academic Integrity**

In attempting this examination and submitting an answer file, candidates are undertaking that the work they submit is a result of their own unaided efforts and that they have not discussed the questions or possible answers with other persons during the examination period. Candidates who are found to have participated in any form of cooperation or collusion or any activity which could amount to academic misconduct in the

*Teaching materials and exam resources provided to you at UTS are protected by copyright. Students are reminded that copying or sharing of these materials can constitute misconduct.*

answering of this examination will have their marks withdrawn and disciplinary action will be initiated on a complaint from the Examiner.


Exam answers must be submitted [via Turnitin](#). Staff may ask that a student undertake an oral test to ensure they have completed the work on their own and to assess their knowledge of the answers they have submitted.

**Students must not post any requests for clarification on the Discussion Boards on Blackboard, Canvas or Microsoft Teams.** Any requests for clarification should be directed by email to **Xianzhi Wang** on [Xianzhi.Wang@uts.edu.au](mailto:Xianzhi.Wang@uts.edu.au). Where clarification is required it will be broadcast by email to all students in the exam group. **Xianzhi Wang** will be available via email during the first hour and the last hour of the examination time window.

*Teaching materials and exam resources provided to you at UTS are protected by copyright. Students are reminded that copying or sharing of these materials can constitute misconduct.*

**Question 1 (0.8 Mark)**


How many strongly connected components (SCCs) are there in the graph below?



- A. 1
- B. 2
- C. 3
- D. 4

**Question 2 (0.8 Mark)**

How many articulation points (i.e., cutting vertices) are there in the graph below?



- A. 1
- B. 2
- C. 3
- D. 4

**Question 3 (0.8 Mark)**

The visiting orders of a Postorder traversal and an Inorder traversal of a tree are shown below:

Post-order: B D F A C E G

In-order: G E D B C F A

So what is the visiting order a Preorder traversal of the same tree?

- A. G E A F C D B
- B. G E C D B A F
- C. G E D B C F A
- D. None of the above.

**Question 4 (0.8 Mark)**

Suppose  $x$  is the value at the bottom of a `std::stack` after the following operations: `push(1)`, `push(3)`, `push(5)`, `pop()`, `pop()`, `push(7)`, `pop()`, `push(9)`. What operation sequences make the value at the front of a `std::queue` equal  $x$  (More than one answer may be selected)?

- A. `push(1)`, `push(3)`, `pop()`, `push(1)`, `push(5)`, `pop()`, `push(1)`, `push(7)`
- B. `push(1)`, `push(3)`, `push(1)`, `push(5)`, `pop()`, `pop()`, `pop()`, `push(7)`, `push(9)`
- C. `push(5)`, `push(3)`, `push(1)`, `pop()`, `pop()`, `push(9)`, `push(3)`, `push(7)`, `pop()`
- D. `push(2)`, `pop()`, `push(2)`, `push(7)`, `push(1)`, `pop()`, `push(9)`, `push(4)`, `pop()`

### Question 5 (0.8 Mark)


What is the time complexity of the following code (Suppose  $m > 0$  and  $n > 1$ )?

```
int func (int m, int n) {  
    i=0;  
    while (m<100) {  
        i++;  
        m++;  
    }  
    for (int i; i<n-1; i++) {  
        for (int j=n; j>i; j--)  
            return i*j;  
    }  
}
```

- A.  $O(m)$
- B.  $O(n^2)$
- C.  $O(m+n^2)$
- D.  $O(1)$

### Question 6 (0.8 Mark)


Which of the following might be a result of topological sorting using Kahn's Algorithm on the graph below (More than one answer may be selected)?



- A. B, C, F, D, H, E, A, G
- B. B, F, D, E, A, C, H, G
- C. F, H, B, D, E, A, C, G
- D. B, F, D, E, A, G, C, H

### Question 7 (0.8 Mark)






Suppose you are using Dijkstra's algorithm to find the shortest path from A to E. Which of the following statement is/are TRUE about the distances of nodes as calculated by the algorithm (More than one answer may be selected)? 'Distance' of a node is the weight of the current path from A to the node.



- A. The distance of A is always 0 and will not be updated by the algorithm.
- B. The distance of E should not be positive infinity after the algorithm visits A.
- C. The distance of D is initialised to positive infinity by the algorithm.
- D. The distance of D has only been updated once when the algorithm terminates.

### Question 8 (0.8 Mark)

Given the max-heap below, what will the tree structure look like after we remove one element from it?



### Question 9 (0.8 Mark)

Which of the data structures below can be iterated over using `std::iterator`? (More than one answer may be selected)? To iterate over a data structure means to access all the elements in the data structure one by one.

- A. `std::tuple`
- B. `std::map`
- C. `std::set`
- D. `std::list`

### Question 10 (0.8 Mark)

Which of the following is TRUE about `pointers` and memory deallocation in C++?

- A. We cannot use the 'delete' keyword to deallocate the space that is allocated statically.
- B. Suppose `head` is a pointer to the first node of a linked list. We can do `delete head;` to deallocate the memory taken by the whole linked list.
- C. Suppose `p` is a pointer to certain memory space. We can simply set `p=nullptr;` to deallocate the space.
- D. We do not need to deallocate space as C++ can automatically recycle the space that is not in use.

### Question 11 (0.8 Mark)

What is the worst-case time complexity of adding an element to a binary heap? Suppose  $n$  is the number of elements in the heap. You may consider either a max-heap or a min-heap; that will not affect the result.

- A.  $O(\log n)$
- B.  $O(n)$
- C.  $O(n \log n)$
- D.  $O(n^2)$

**Question 12 (0.8 Mark)**

What is the time complexity of inserting a new element before the fourth last element in a singly linked list? Suppose the length of the linked list is  $n$ , which is bigger than 4.

- A.  $O(1)$
- B.  $O(n)$
- C.  $O(n \log n)$
- D.  $O(n^2)$

**Question 13 (0.8 Mark)**

Which of the following is/are TRUE about hash functions (More than one answer may be selected)?

- A. A good hash function can generate a key according to the input very quickly.
- B. A good hash function has a low chance to generate different keys for the same input.
- C. A good hash function has a low chance to generate the same key for different inputs.
- D. A hash function may work well for one set of inputs but not for another set of inputs.

**Question 14 (0.8 Mark)**

Suppose a binary heap (Heap) and a binary search tree (BST) contain the same elements (e.g., ints). Which of the following is/are NOT true about binary heap and binary search tree?

- A. The height of the Heap might be larger than the height of the BST.
- B. Heap-sort may have lower time complexity in giving an (either ascending or descending) ordering of the elements than the BST does.
- C. It is more efficient to do a lookup in BST than in Heap.
- D. Heap may take less memory space than BST even if they are implemented using the same data structure (e.g., either array-based implementation or linked-list-like structure).

**Question 15 (0.8 Mark)**

Suppose  $P \neq NP$ . Which of the following statement about an NP-Complete problem is/are TRUE (More than one answer may be selected)?

- A. The problem might be P.
- B. The problem must be NP.
- C. The problem might be NP-Hard.
- D. The problem is one of the hardest problems in NP.

Note: Short-answer questions start from the next page.

### Question 16 (3 Marks)

Considering a collection of elements {3, 7, 6, 2, 9, 4}, what insertion order of these elements would produce a Binary Search Tree (BST) that has the smallest height?

Please give at least four insertion orders that meet the above requirement (word limit: 100).

### Question 17 (3 Marks)

Can you briefly describe what the function below does in plain English (word limit: 100)?

```
class Node{
public:
    int data;
    Node* next;
};

int func(Node* node, int number){
    if(node){
        if(node->data > 0)
            return func(node->next, number) - node->data;
        else if(node->data < 0)
            return func(node->next, number) + node->data;
        else
            return func(node->next, number + node->data) + number;
    }
    return 0;
}
```

### Question 18 (3 Marks)

Suppose we wish to store 80 elements in an array (i.e., `int A[100]`), where each element uses a `std::pair<int, int>` as the key. Can you design a mechanism to insert these pairs into the array so that we can check if a pair exists in this array efficiently? This mechanism should perform better than the exhaustive approach (i.e., iterating over the whole array item by item), which has the time complexity of  $O(n)$ . In this example,  $n = 80$ .

Please briefly describe your method in plain English, pseudo-code, or C++ code (word limit: 200).

### Question 19 (3 Marks)

Suppose we have a square matrix: `int matrix[n][n]`, where  $n > 0$ . Can you briefly describe what the code below does (word limit: 100)? You may draw a figure to illustrate your idea if you want.

```
for (int x = n-1; x > -1; x--) {
    for (int y = 0; y < n; y++) {
        if (x < n-1 && y > 0) {
            matrix[x][y] += std::min(matrix[x+1][y], matrix[x][y-1]);
        } else if (x < n-1) {
            matrix[x][y] += matrix[x+1][y];
        } else if (y > 0) {
            matrix[x][y] += matrix[x][y-1];
        }
    }
}

std::cout << matrix[0][0] << std::endl;
```

### Question 20 (3 Marks)

Suppose we have a sequence of numbers: 1, 8, 5, 2, 6, 3, 9. We aim to find a longest turbulence in the sequence. 'Turbulence' is a sub-sequence where the numbers rise and drop alternately. Every sub-sequence of a turbulence is also a turbulence. For example,

- 1, 8, 5 is a turbulence because 1 rises to 8 and then drops to 5.
- 8, 5, 2 is not a turbulence because 8 drops twice (first to 5 and then to 2).
- The longest turbulence in the given sequence is 5, 2, 6, 3, 9.

Can you design a brute-force algorithm to find the longest turbulence in a given sequence of numbers? What is its time complexity in terms of big-Oh? (word limit: 200)

### Question 21 (3 Marks)

Can you describe an algorithm that achieves better time complexity than brute-force for Question 20?

For both questions 20 and 21, you can explain in plain English, pseudo-code, or C++ code (word limit: 200).